



# Child Care Immunization Record

Last Name	First Name	Middle Name	Sex	Birth Date
			M    F	
Parent /Guardian Name			Daytime Phone #	

Immunization	Vaccine Type	Age	Date Given			Immunization	Vaccine Type	Dose	Date Given		
			Mo	Day	Yr				Mo	Day	Yr
<b>DTP, DTaP #1</b> Diphtheria Tetanus Pertussis		3 mo				<b>MMR</b> Measles Mumps Rubella		16 mo			
		5 mo						7 yrs			
		7 mo				<b>Hepatitis B</b> 3 doses required. Last dose must be given at 6 months of age or older. Some children may have 4 doses		3 mo			
		19 mo						5 mo			
		7 yrs						19 mo			
<b>OPV or IPV#2</b> Polio OPV by mouth IPV by injection		3 mo									
		5 mo				<b>Hepatitis A</b> There must be 6 calendar months between doses		16 mo			
		19 mo						2 yrs			
		7 yrs				<b>PCV 7 or PCV 13*#3</b> Pneumococcal Conjugate* Under age 5, one dose must be PCV 13		3 mo			
<b>HIB#3</b> Haemophilus Influenza Type B  *7 mo shot not needed if series given with Pedvax or ComVax.  *Not given over 5 yrs		3 mo						5 mo			
		5 mo						7 mo			
		*7 mo					16 mo				
<b>Rotavirus#4</b> Rotarix is a 2 dose series given at 2 and 4 months. Rotateq is a 3 dose series given at 2, 4, and 6 months.		16 mo			<b>Varicella</b> Chickenpox		16 mo				
		3 mo						7 yrs			
		5 mo				<b>Tdap#5</b>					
	7 mo				<b>Meningococcal #5</b>						

**All vaccines given must meet the minimum age and minimum interval for that dose in order to be considered valid.**

**#1 - DTaP:** 5<sup>th</sup> dose is not necessary if the 4<sup>th</sup> dose given on or after the 4<sup>th</sup> birthday and at least 6 months have elapsed since the 3<sup>rd</sup> dose.

**#2 - Polio:** 4<sup>th</sup> dose is not necessary if the 3<sup>rd</sup> dose was given on or after the 4<sup>th</sup> birthday and at least 6 months elapsed since the 2<sup>nd</sup> dose.

**#3 - Hib and PCV:** If a child begins the series age 7 months or later not all 4 doses will be required. At least 1 dose must be given on or after the 1<sup>st</sup> birthday. Not given after 59 months of age.

**#4 - Rotavirus:** Should not be started for infants 15 weeks 0 days or older. The maximum age for the final dose is 8 months 0 days.

**#5 - Tdap & Meningococcal:** Due at age 11-12 years; not required for childcare

**Refer to the 2011 GUIDE TO THE IDAHO IMMUNIZATION REQUIREMENTS for CHILDCARE FACILITIES for further information**